



# UV-B Narrowband TL

20W/01 RS 1SL

More than 400 independent clinical studies have proven that the UVB Narrowband TL lamps are safer and more effective than any other lamps in their class. That is because these lamps emit only a very narrow waveband from the 'B' bandwidth of the UV spectrum (290 to 315). This narrow waveband is between 305 and 315 nm and peaks at 311 nm: the most efficacious waveband for the treatment of psoriasis. This means that treatment is much more focused and exposure times are much shorter. This in turn leads to a reduction of side effects such as reddening of the skin and itching. All of this makes them ideal for phototherapy treatment of diseases such as psoriasis, parapsoriasis, vitiligo, atopic dermatitis, and mycosis fungoides. What's more, because the overall dosage of this narrowband radiation can be closely controlled, these lamps are suitable for home therapy.

## Product data

### • General Characteristics

System Description	Rapid Start
Cap-Base	G13
Bulb	T12 [T12]
Main Application	Phototherapy
Useful Life	2000 hr
Life to 50% failures	2000 hr
EM	

### • Light Technical Characteristics

Color Code	01
Color Designation (text)	Ultra Violet B
Chromaticity Coordinate X	208 -
Chromaticity Coordinate Y	192 -
Depreciation 500 hours	10 %
Depreciation 1000 hours	15 %

### • Electrical Characteristics

Watts	20 W
Lamp Wattage Technical	19.3 W
Lamp Voltage	59 V

Lamp Current	0.37 A
--------------	--------

### • UV-related Characteristics

UV-B Radiation 100hr (IEC)	2.9 W
UV-B Radiation 5hr (IEC)	3.0 W

### • Product Dimensions

Base Face to Base Face A	589.8 (max) mm
Insertion Length B	594.5 (min), 596.9 (max) mm
Overall Length C	604 (max) mm
Diameter D	40.5 (max) mm

### • Product Data

Product number	381723
Full product name	TL 20W/01 RS SLV
Short product name	TL 20W/01 RS SLV/25
Pieces per Sku	1
eop_pck_cfg	25
Skus/Case	25
Bar code on pack	8711500639745
Bar code on case	8711500639752
Logistics code(s)	928010000101
eop_net_weight_pp	142.800 gr



**PHILIPS**

# UV-B Narrowband TL

## Dimensional drawing



### 20W/01 RS 1SL

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL 20W/01 RS	589.8	594.5	596.9	604	40.5



G13

## Photometric data



© 2014 Koninklijke Philips N.V. (Royal Philips)  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2014, April 6  
data subject to change